

SAFETY DATA SHEET


COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	1/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 1: Identification of the substance/ mixture and of the company/ undertaking

Product identifier	
Product Name	CoolFlow EG
Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Industrial grade secondary refrigerant with antifreeze and inhibitor functions designed for use in process cooling, refrigeration and HVAC systems.
Uses advised against	This product is not recommended for any industrial, professional or consumer use other than the identified uses above.
Details of the supplier of the Safety Data Sheet	
Supplier	Applied Thermal Control Limited 39 Hayhill Industrial Estate, Barrow upon Soar, Leicestershire, LE12 8LD. United Kingdom. www.app-therm.com
Telephone Number	+44(0)1530 839998

Section 2: Hazards identification

Classification of the substance or mixture	
Classification - Regulation (EC) No. 1272/2008 (CLP)	<p>Physical and chemical hazards Not classified as a physical or chemical hazard</p> <p>Human health Acute Tox. 4 - H302, STOT RE 2 - H373</p> <p>Environment Not classified as an environmental hazard</p>
Label elements	
EC No.	N/A
Labelling - Regulation (EC) No. 1272/2008 (CLP)	
Signal Word	Warning

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	2/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 2 Continued: Hazards identification

Hazard statements	H302 - Harmful if swallowed H373 - May cause damage to organs - Kidneys - through prolonged or repeated exposure if swallowed.
Precautionary statements	P260 - Do not breathe dust/fumes/gas/mist/vapours/spray P264 - Wash hands thoroughly after handling P270 - Do not eat, drink or smoke when using this product P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Other hazards	This product does not meet the PBT/vPvB criteria of REACH, annex XIII

Section 3: Composition/information on ingredients

Mixtures	
Component - Monoethylene glycol (ethane-1, 2-diol)	Concentration - 80-95% EC No. - 203-473-3 CAS No. - 107-21-1 Reach registration No. - 01-2119456816-28
Classification - Regulation (EC) No. 1272/2008 (CLP)	Acute Tox. 4 - H302 STOT RE 2 - H373
Component - Ethanol	Concentration - 1-5% EC No. - 200-578-6 CAS No. - 64-17-5 Reach registration No. - 01-211945719-43
Classification - Regulation (EC) No. 1272/2008 (CLP)	Flam. Liq. 2 - H225 Eye Irrit. 2 - H319
Component - Sodium nitrite	Concentration - <0.25% EC No. - 231-555-9 CAS No. - 7632-00-0 Reach registration No. - 01-2119471836-27
Classification - Regulation (EC) No. 1272/2008 (CLP)	Ox. Sol. 3 - H272 Acute Tox. 3 - H301 Eye Irrit. 2 - H319 Aquatic Acute 1 - H400

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	3/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 4: First aid procedures

Description of first aid procedures	
General Information	When safe to do so remove the victim from the source of exposure giving consideration as to whether this may cause further discomfort to the victim.
Inhalation	Move the affected person to fresh air at once. Keep warm in a position comfortable for breathing. If breathing becomes difficult, properly trained personnel may assist the victim by supplying oxygen to ease breathing. Get medical attention if any discomfort continues.
Ingestion	Do NOT induce vomiting and seek medical attention immediately. Move victim to fresh air and keep warm and at rest in a position comfortable for breathing. Give victim approximately 250 mL of water however, do not give victim anything to drink if not fully conscious. If medical advice is delayed and an adult has consumed several ounces of this chemical, give approximately 100 mL of hard liquor (for children give 2 mL per kilogram of body weight).
Skin Contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye Contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Most important symptoms and effects, both acute and delayed	
General Information	The following symptoms are listed in case of exposure to the 100% neat product.
Inhalation	Inhalation of vapours may cause mild irritation of the upper respiratory tract.
Ingestion	Initial symptoms may include an upset stomach, nausea, vomiting and diarrhoea. Symptoms may progress to hyperventilation, metabolic acidosis, cardiovascular dysfunction and acute kidney failure depending on the extent of poisoning.
Skin Contact	Prolonged and repeated contact may cause mild irritation of the skin.
Eye Contact	Direct eye contact may cause reddening of the eyes.
Indication of immediate medical needs or special treatment	
<p>If several ounces (> 50 mL) of this product have been ingested, early administration of ethanol may help to counteract the toxic side effects such as metabolic acidosis, cardiovascular dysfunction and in severe cases kidney failure. Consider haemodialysis or peritoneal dialysis and thiamine 100 mg plus pyridoxine 50 mg intravenously every 6 hours. If ethanol is used a therapeutically effective blood concentration in the range of 100-150 mg/dL may be achieved by a rapid loading dose followed by a continuous intravenous fusion.</p> <p>Respiratory symptoms such as pulmonary oedema, may be delayed. Victims receiving significant exposure should be kept under observation for 24-48 hours for signs of respiratory distress. In the case of severe poisoning, respiratory support with mechanical ventilation and oxygenation of the patient.</p>	
Notes for the doctor	No specific recommendations in addition to the suggestions in Sections 4.1 and 4.3. Treat symptomatically.

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	4/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 5: Firefighting measures

Extinguishing media	
Extinguish with alcohol-resistant foam, carbon dioxide (CO ₂), dry chemicals, sand and dolomite or water fog.	
Special hazards arising from the substance or mixture	
Specific Hazards	When heated and in the case of a fire, harmful vapours/gases (such as carbon monoxide and carbon dioxide) may be formed.
Unusual fire and explosion hazards	Exposure to extreme heat may cause product containers to explode.
Advice for firefighting	
Protective actions during firefighting	Move containers away from fire area if this can be done without risk. Keep people away, isolate the fire and deny unnecessary entry. Use water fog to keep fire-exposed containers cool and disperse vapours. Runoff water should be prevented from entering sewers and watercourses.
Specialist protective equipment for	Wear positive-pressure self-contained breathing apparatus (SCBA) and full Fire fighters protective clothing.

Section 6: Procedure for unwanted emissions

Personal precautions, protective equipment and emergency procedures	
Personal precautions	Avoid flames, sparks, heat and smoking. In the case of inadequate ventilation, use respiratory protection.
Protective Equipment	Wear protective clothing as described in Section 8 of this Safety Data Sheet.
Emergency Procedures	Stop leak/release if possible to do so without risk. Extinguish all ignition sources if safe to do so. Warn everybody of potential danger and evacuate if necessary.
Environmental precautions	
Do not discharge into drains, water courses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
Methods and materials for containment and clean up	
Absorb spillage with inert, damp, non-combustible material, then flush the contaminated area with water. Containers with collected spillage should be appropriately labelled with the correct contents and hazard labels. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.	
Reference to other sections - Wear protective clothing as described in Section 8 of this Safety Data Sheet. Collect and dispose of spillage as indicated in Section 13	

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	5/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 7: Handling and storage

Precautions for safe handling
Avoid spilling and contact with the skin and the eyes as well as direct inhalation of sprays and mists. Provide good ventilation. Do not eat, drink or smoke in work areas and wash hands after handling this product
Conditions for safe storage including any compatibilities
Store in tightly-closed, original containers. Keep separate from food, feedstuffs, fertilisers and other sensitive material. Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks and open flame.
Specific end use(es)
The identified uses for this product are detailed in Section 1.2.

Section 8: Exposure controls / Personal protection


Control parameters			
Name	STD	TWA-8 Hrs	STEL-15 Min
Monoethylene glycol (ethane-1, 2-diol)	WEL	52 mg/m ³	104 mg/m ³
DNEL Industry, Inhalation - Long term local effects: 35mg/m ³ Industry, Dermal - Long term systemic effects: 106mg/m ³ Consumer, Inhalation - Long term local effects: 7mg/m ³ Consumer, Dermal - Long term systemic effects: 7mg/m ³		PNEC Fresh water: 10 mg/L Marine water: 1mg/L STP: 199.5 mg/L Sediment fresh water: 20.9 mg/kg Soil: 1.53 mg/kg	
Name	STD	TWA-8 Hrs	STEL-15 Min
Ethanol	WEL	1920 mg/m ³	Not available
DNEL Industry, Inhalation - Short term local effects: 1900 mg/m ³ Industry, Dermal - Long term systemic effects: 343 mg/kg/day Industry, Inhalation - Long term systemic effects: 950 mg/m ³ Consumer, Inhalation - Short term local effects: 950 mg/m ³ Consumer, Dermal - Long term systemic effects: 206 mg/kg/day Consumer, Inhalation - Long term systemic effects: 114 mg/m ³ Consumer, Oral - Long term systemic effects: 87 mg/kg/day		PNEC Fresh water: 0.96 mg/L Marine water: 0.79 mg/L Intermittent release: 2.75 mg/L STP: 580 mg/L Sediment fresh water: 3.6 mg/kg Sediment marine water: 2.9 mg/kg Soil: 0.63 mg/kg	

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	6/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 8 Continued: Exposure controls / Personal protection

Exposure controls	
	
Technical procedures	
Engineering Measures	Methods to prevent or control exposure are preferred. Provide adequate ventilation to minimise the risk of inhalation of sprays and mists.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practices. Wash hands after handling this product and at the end of each work shift. Routinely wash work clothing and personal protective equipment to remove possible contaminants.
Respiratory Equipment	Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved
Hand Protection	PVC/butyl rubber/neoprene gloves are recommended.
Eye Protection	Wear approved chemical goggles or face shield.
Skin Protection	Wear rubber apron or protective clothing in case of contact.
Other Protection	Wear suitable protective clothing/footwear as protection against splashing or contamination.
Thermal Hazards	No specific measures required.
Environmental Exposure Controls	Product not classified as an environmental hazard - no specific environmental exposure controls required.

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	7/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 9: Physical and chemical properties

Information on basic physical and chemical properties	
Appearance	Blue liquid
Odour	Non-pungent but characteristic aroma
Odour Threshold	Not applicable
pH	7.5 - 10.5 depending on inhibitor formulation
Melting point / Pour point	-40°C
Initial boiling point	>180°C
Flash point	>64°C
Evaporation Rate	No test data available
Flammability	Product is not classified as flammable
Flammability / explosion limits	Upper limit: 13% Lower limit: 3%
Vapour pressure	No test data available
Vapour density (air = 1)	No test data available
Relative density of the mixture	1.04 - 1.2
Solubility	Soluble in water
Partition coefficient: n-octanol / water	No test data available
Auto-ignition temperature	>390°C
Decomposition temperature	No test data available
Viscosity	See product data sheet
Explosive properties	Not applicable - product is not classified as an explosive
Oxidising properties	Not applicable - product is not classified as an oxidising agent
Other information	
Not determined.	

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	8/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 10: Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product
Chemical stability	Stable at normal ambient temperatures and when used as recommended. Product is hygroscopic and will absorb water by contact with the moisture in the air.
Possibility of hazardous reactions	There are no known hazardous reactions associated with this product.
Conditions to avoid	Avoid temperatures >180°C for prolonged periods of time, flames and sources of ignition.
Incompatible materials	Strong acids, strong alkalis and strong oxidising agents.

Section 11: Toxicological information

Information on toxicological effects	
Acute toxicity	<p>This product has not been tested as a whole for acute toxicity health effects. For this reason, the acute toxicity values for the main components of this mixture are listed below.</p> <p>Acute toxicity values for monoethylene glycol:</p> <p>LD50, oral, rat: 4700 mg/kg bw LD50, dermal, rabbit: >10,600 mg/kg bw LD50, dermal, mouse: >3500 mg/kg bw LC50, inhalation (vapours), rat: >2.5 mg/L</p> <p>Oral toxicity of monoethylene glycol is expected to be moderate in humans despite animal testing showing a lower degree of toxicity. The estimated lethal dose in humans of NEAT MONOETHYLENE GLYCOL is expected to be approximately 100mL.</p> <p>Acute toxicity values for ethanol:</p> <p>LD50, oral, rat: 10,470 mg/kg bw LD50, dermal rabbit: 17,100 mg/kg bw</p>
Skin corrosion/ irritation	Skin irritation is not expected when this product is used/handled correctly.
Serious eye damage/ irritation	Eye irritation is not expected when this product is used/handled correctly.
Respiratory/ skin sensitisation	Product not classified as a skin/respiratory sensitiser.
Germ cell mutagenicity	Product is not expected to be mutagenic.
Carcinogenicity	Product is not expected to be carcinogenic.
Reproductive toxicity	Product is not expected to damage the reproductive system or harm a developing foetus.
Evaluation of CMR properties	No test data available.
STOT-single exposure	No test data available.
STOT-repeated exposure	No test data available.
Aspiration hazard	No test data available.

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	9/11	Version	1
------	------------	-----------	------------------	------	------	---------	---

Section 11 Continued: Toxicological information

General information	
See Section 4.2 of this Safety Data Sheet.	
Inhalation	Inhalation of vapours may cause mild irritation of the upper respiratory tract.
Ingestion	Initial symptoms may include an upset stomach, nausea, vomiting and diarrhoea. Symptoms may progress to hyperventilation, metabolic acidosis, cardiovascular dysfunction and acute kidney failure depending on the extent of poisoning.
Skin contact	Prolonged and repeated contact may cause mild irritation of the skin.
Eye contact	Direct eye contact may cause reddening of the eyes.

Section 12: Ecological information

Ecotoxicity	The product is not classified as hazardous to the environment.
Toxicity	LC50, 96 hours, fish: >100 mg/L - not classified as harmful to fish EC50, 48 hours, daphnia magna: >100 mg/L - not classified as harmful to daphnia EC50, 96 hours, aquatic plants: >100 mg/L - not classified as harmful to aquatic plant
Persistence and degradability	This product is readily biodegradable (90% over 10 days).
Bioaccumulative potential	Will not bio-accumulate. Partition coefficient - not determined.
Mobility in soil	Product is mobile in soil as it is water soluble.
Results of PBT and vPvB assessment	This product does not meet the PBT/vPvB criteria of REACH, annex XIII.
Other adverse effects	Not determined

Section 13: Advice on disposal

General information	Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with Local Waste Disposal Authority.
Disposal methods	Dispose of waste and residues in accordance with local authority and/or local sewage treatment plant requirements.

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	10/11	Version	1
------	------------	-----------	------------------	------	-------	---------	---

Section 14: Transport information

UN number	Product not hazardous for transport - no information required.
UN proper shipping name	Product not hazardous for transport - no information required.
Transport hazard class(es)	Product not hazardous for transport - no information required.
Transport labels	Product not hazardous for transport - no information required.
Packing group	Product not hazardous for transport - no information required.
Environmental hazards	Product not classed as an environmentally hazardous substance or marine pollutant
Special precautions for user	Product not hazardous for transport - no information required.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Product not hazardous for transport - no information required.

Section 15: Regulatory information

Safety, health and environmental regulations / legislation for the substance or mixture	
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance notes	CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for substances and preparations.
Chemical safety assessment	No chemical safety assessment for this mixture has been carried out.

Section 16: Other information

Issued by Thermal Exchange Ltd. Revision Date 21/03/2018. Approved by Graham Wade. Revision Comments Review in line with CLP regulation.	
Hazard statements in full	
The following hazard statements are the hazard statements 'in full' for the components of this mixture. They are not the hazard statements associated with the final classification of this product. H302 - Harmful if swallowed H373 - May cause damage to organs - Kidneys - through prolonged or repeated exposure if swallowed H225 - Highly flammable liquid and vapour H319 - Causes serious eye irritation H272 - May intensify fire; oxidiser H301 - Toxic if swallowed H400 - Very toxic to aquatic life	

SAFETY DATA SHEET

COOLFLOW EG ANTIFREEZE

Date	21/03/2018	Author(s)	Thermal Exchange	Page	11/11	Version	1
------	------------	-----------	------------------	------	-------	---------	---

Section 16: Other information

Further classification and composition comments
No further classification or composition comments required.
Indication of changes
Safety Data Sheet updated to comply with the new requirements as set out in Regulation (EC) No. 1272/2008 (CLP).
Abbreviations and acronyms
bw: bodyweight CAS No: Chemical Abstracts Service number CLP: Classification Labelling and Packaging Regulation DNEL: Derived No-Effect Level EC: European Commission EC No: European Chemical number: EINECS, ELINCS or NLP ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances LC50: Lethal Concentration, 50% LD50: Median Lethal Dose PBT: Persistent, Bioaccumulative & Toxic PNEC: Predicted No Effect Concentration REACH: Registration, Evaluation, Authorisation & restrictions of Chemicals SDS: Safety Data Sheet vPvB: Very Persistent and Very Bioaccumulative WEL: Workplace Exposure Limit
Training advice
Product should only be handled by trained operators.
Additional information
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give advice about the safe handling of the product named in this Safety Data Sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with products or in the case of processing, the information on this Safety Data Sheet is not necessarily valid for the new made-up material.